PROD REV: A-1 DWG VER: V-1

WELD # PROJECTS 🛽

PRISMA TABLE DINNER

(PRIS-001-000)



Contents

WARNING	
BILL OF MATERIALS	4
GLOSSARY	5
AWS SYMBOLS	6
ASSEMBLY INSTRUCTIONS	
PART DRAWINGS	24



WARNING



SAFETY WARNING: WELDING INVOLVED

Before you begin the assembly process, it's crucial to understand the risks and necessary precautions associated with welding. Please read and adhere to the following safety guidelines:

- **Professional Supervision:** If you're inexperienced in welding, consider seeking guidance or supervision from a trained professional. A small error can have significant consequences on the durability and safety of your furniture.
- **Protective Gear:** Welding can produce intense UV light, sparks, and spatter. Always use a welding helmet with the correct shade of lens, wear flame-resistant clothing, leather gloves, and safety boots. Safety glasses should be worn underneath the helmet for added eye protection.
- Work in a Safe Environment: Welding can produce harmful fumes and gases. Always work in a well-ventilated space, preferably outdoors. Remove any flammable materials from the vicinity, and always have a fire extinguisher on hand.
- **Pre-welding Inspection:** Thoroughly inspect the metal parts for any signs of damage, rust, or contamination. Clean the areas to be welded to ensure there are no oils, paints, or other materials that might interfere with the weld.
- **Equipment Check:** Before you start, ensure your welding machine is in proper working condition. Check cables, connectors, and welding gun for any damage or wear.
- Avoid Water: Never weld in wet conditions or touch the welding equipment with wet hands or gloves. Water is a conductor of electricity and can increase the risk of shocks.
- **Grounding:** Ensure that the piece you're welding is correctly grounded. A proper ground connection is essential for safety and for producing quality welds.
- **Post-welding Protocol:** Once you finish welding, let the welded parts cool down gradually. Rapid cooling can lead to metal warpage or structural weaknesses.
- **Stay Informed:** Familiarize yourself with the Material Safety Data Sheet (MSDS) for the metals you're working with and the filler materials you're using.
- **First Aid:** Keep a first aid kit nearby. In case of minor burns, immediately hold the affected area under cold running water for at least 10 minutes.
- Limit Distractions: Ensure that your workspace is free from unnecessary distractions. Focus is critical when welding to maintain consistent quality and safety.
- Store Equipment Safely: After completion, store your welding equipment in a dry, safe place away from children's reach.

Remember, your safety and the quality of your work go hand in hand. Always prioritize safety precautions and never rush the welding process. If you're ever uncertain about a step or safety measure, seek guidance before proceeding.

Your safety is our top priority! No task justifies risking injury.



BILL OF MATERIALS

See page 24 for detailed drawings of each part.

ITEM	PART NUMBER	DESCRIPTION	REV	MATERIAL	QTY.
1	PRIS-051-000	Prisma Bottom Plate Dinner	A-1	SM_A36_0.1345T	1
2	PRIS-052-000	Prisma Bottom Side Plate Dinner	A-1	SM_A36_0.1345T	2
3	PRIS-053-000	Prisma Bottom Side Plate Lock Dinner	A-1	SM_A36_0.1345T	6
4	PRIS-054-000	Prisma Top Plate Dinner	A-1	SM_A36_0.1345T	1
5	PRIS-055-000	Prisma Back Plate Dinner	A-1	SM_A36_0.1345T	1
6	PRIS-056-000	Prisma Middle Side Plate Dinner	A-1	SM_A36_0.1345T	2
7	PRIS-057-000	Prisma Top Side Plate Lock Dinner	A-1	SM_A36_0.1345T	6
8	PRIS-058-000	Prisma Bottom Center Plate Dinner	A-1	SM_A36_0.1345T	1
9	PRIS-059-000	Prisma Top Center Plate Dinner	A-1	SM_A36_0.1345T	1
10	PRIS-060-000	Prisma Back Bottom Plate Lock Dinner	A-1	SM_A36_0.1345T	2
11	PRIS-061-000	Prisma Top Back Plate Lock Dinner	A-1	SM_A36_0.1345T	2
12	PRIS-062-000	Prisma Top Side Plate Dinner	A-1	SM_A36_0.1345T	2
13	PRIS-063-000	Prisma Top Side Plate Dinner	A-1	SM_A36_0.1345T	4

**** ITEMS NOT PROVIDED**

GLOSSARY

METAL TUBE

SQ_A500_2X2_0.065T

TYPE

MATERIAL

SIZE

MATERIAL THICKNESS

SHEET METAL

SM_A36_0.065T

TYPE

MATERIAL

MATERIAL THICKNESS

Туре

SQ = Square tube profile RT = Rectangle tube profile CR = Circle tube profile AG = Angle tube profile SM = Sheet Metal

Material Thickness


10ga - 0.1345" 12ga - 0.1035" 14ga - 0.075" 16ga - 0.065"

AWS SYMBOLS

The following are some of the common weld symbols you will encounter when reading our assembly instructions.

AWS SYMBOL	NAME	DESCRIPTION		
	FILLET WELD	Triangular weld joining two surfaces at right angles; common in T-joints and lap joints.		
\oplus	SEAM WELD	Joins metal using a hole in the top piece, fusing with the bottom piece.		
0	SPOT WELD	Used for fusing overlapping metals at discrete points; often used in sheet metal fabrication.		
	PLUG WELD Process creating a consistent weld along overlap materials; suitable for containers and cylindric assemblies.			

WELD INDICATION	DESCRIPTION
1/8 / 1/8 - 6	TACK WELD (Small and temporary weld that hold parts together ready for final welding.)
1/4 1.5 - 6	FULLY WELD (Last welding operation performed to complete a joint or structure, ensuring its integrity.)





This symbol tells us to make a 1/8" high Fillet Weld, 1/8" long (a "tack"), and to do so along the seam every 6" (the pitch).




PROD REV: A-1 DWG VER: V-1

ASSEMBLY INSTRUCTIONS























6










9





10
















16



17



NOTES:


NOW IS THE PERFECT TIME TO GO BACK AND FINISH WELDING ALL THE PREVIOUS TACK WELDS

WE RECOMMEND A 0.25" HIGH FILLET WELD, 1.5" LONG



PROD REV: A-1 DWG VER: V-1


PART DRAWINGS



	REVISIONS				Λ
REV.	REVISIONS DESCRIPTION	DATE	APPROVED		
PROPRIETAR		77301 PH: 28 MATION CON	26.80 26.80 	DIMENSIONS ARE IN INC PART # PRIS-052-000 MG DESCRIPTION :	CHES, UNLESS SPECIFIED OTHERWIS MATERIAL SM_A36_0.1345T
	E PROPERTY OF WELD PROJECTS. A E, WITHOUT WRITTEN PERMISSION C			A Prisma Bottom Side DRAWN BY: MMoren	

V.	REVISIONS DESCRIPTION DATE	APPROVED		
			3.93	
		۲ E		
		4.42		
				NCHES, UNLESS SPECIFIED OTHERW
	ELD&PROJE	FT-5 §	PART # PRIS-053-000	MATERIAL SM_A36_0.1345T
Π				
PROPRIETA	101 INDUSTRIAL CT, CONROE, TX 77301 PH: 281 Y AND CONFIDENTIAL : THE INFORMATION CON E PROPERTY OF WELD PROJECTS. ANY REPRODUC	1-238-9652 ITAINED IN THIS DRAWING	DESCRIPTION : Prisma Bottom Side	Plate Lock Dipper

	REVISIONS				
	DESCRIPTION	DATE	APPROVED		
				· · ·	. /
					· . /
			\langle		
				÷	
	· · ·		_		
		Ī			
		60.0	00		
			-		
	30.00	_			
	50.00				
	rı n×nnn		nte s	DIMENSIONS ARE IN INCH	IES, UNLESS SPECIFIED C
П	ELD#PRO.			PRIS-054-000	SM_A36_0.1345
	101 INDUSTRIAL CT, CONROE, TX 7730 Y AND CONFIDENTIAL : THE INFORMAT	TION CON	TAINED IN THIS DRAWING		/
	E PROPERTY OF WELD PROJECTS. ANY E, WITHOUT WRITTEN PERMISSION OF W			Prisma Top Plate Dinn	
				DRAWN BY: MMoreno	01/16/24 SHE



REVISIONS DESCRIPTION DATE APPROVED
13.34
DIMENSIONS ARE IN INCHES, UNLESS SPECIFIED OTHERWISE
PART # MATERIAL SM_A36_0.1345T
101 INDUSTRIAL CT, CONROE, TX 77301 PH: 281-238-9652 PROPRIETARY AND CONFIDENTIAL : THE INFORMATION CONTAINED IN THIS DRAWING DESCRIPTION :
IS THE SOLE PROPERTY OF WELD PROJECTS. ANY REPRODUCTION, IN PART OR AS A WHOLE, WITHOUT WRITTEN PERMISSION OF WELD PROJECTS IS PROHIBITED.

	REVISIONS				
EV.	DESCRIPTION	DATE APPROV	/ED		
					\bigwedge
		7	.33 ———	-	
		\sim			
		Z	\triangleright		
				5.27	
			~		
					N INCHES, UNLESS SPECIFIED OTHER
Π	ELDŽPRO	- <u>= </u> - - - - - - - - - - - - -	, ğ	PART # PRIS-057-000	MATERIAL SM_A36_0.1345T
	101 INDUSTRIAL CT, CONROE, TX	77301 PH: 281-238-9652		DESCRIPTION :	
IS THE SC	RY AND CONFIDENTIAL : THE INFO	ANY REPRODUCTION, IN F	ART OR AS A		Plate Lock Dinner
WHO	LE, WITHOUT WRITTEN PERMISSION	OF WELD PROJECTS IS PRO	OHIBITED.		oreno 01/16/24 SHEET 1 C

DRAWN BY: MMoreno | 01/16/24


SHEET 1 OF 1

REVISIONS REV. DESCRIPTION DATE APPROVED		
18.75	25.10	
INTEREST AND CONFIDENTIAL : THE INFORMATION CONTAINED IN THIS DRAWING	DIMENSIONS ARE IN PART # PRIS-058-000 DESCRIPTION :	INCHES, UNLESS SPECIFIED OTHERWISE MATERIAL SM_A36_0.1345T

REVISIONS REV. DESCRIPTION DATE APPROVED		
29.95	44.26	
THE INDUSTRIAL CT. CONROL, TX 77301 PH: 281-238-9652	DIMENSIONS ARE IN INC PART # PRIS-059-000 DESCRIPTION :	CHES, UNLESS SPECIFIED OTHERWISE MATERIAL SM_A36_0.1345T
PROPRIETARY AND CONFIDENTIAL : THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF WELD PROJECTS. ANY REPRODUCTION, IN PART OR AS A WHOLE, WITHOUT WRITTEN PERMISSION OF WELD PROJECTS IS PROHIBITED.	DESCRIPTION : Prisma Top Center F DRAWN BY: MMoren	

	REVISIONS			
EV.	DESCRIPTION	DATE APPROVED		
				0
		6.61	4.08	
				INCHES, UNLESS SPECIFIED OTHERW
			PART # PRIS-060-000	MATERIAL SM_A36_0.1345T
	101 INDUSTRIAL CT, CONROE, TX	K //301 PH. 201-230-9652		
IS THE SOL	Y AND CONFIDENTIAL : THE INFO E PROPERTY OF WELD PROJECTS.	RMATION CONTAINED IN THIS DRAWING ANY REPRODUCTION, IN PART OR AS A OF WELD PROJECTS IS PROHIBITED.		om Plate Lock Dinner

REVISION	s		
REVISION REV. DESCRIPTION	S DATE APPROVED		
	4.19		
	NJEETS 🗟	DIMENSIONS ARE IN IN PART # PRIS-061-000	CHES, UNLESS SPECIFIED OTHERWIS MATERIAL SM_A36_0.1345T
101 INDUSTRIAL CT, CONR	INDUSTRIAL CT, CONROE, TX 77301 PH: 281-238-9652 CONFIDENTIAL : THE INFORMATION CONTAINED IN THIS DRAWING RTY OF WELD PROJECTS. ANY REPRODUCTION, IN PART OR AS A	DESCRIPTION : Prisma Top Back Plate Lock Dinner	
IS THE SOLE PROPERTY OF WELD PROJE			ate Lock Dinner



REV.	REVISIONS DESCRIPTION	DATE	APPROVED			
KEV.	DESCRIPTION	DAIE	AFFROVED			
				8		
					<u></u>	
				•		
			\backslash			
			\langle			
		3.65				
			\sim			
			Ň	\backslash		
		Y				
		-	 3.20	-		
			0.20			
					, UNLESS SPECIFIED OTHERWISE	
	UELD PRO		ETER	PART #	MATERIAL	
				PRIS-063-000	SM_A36_0.1345T	
PROF	101 INDUSTRIAL CT, CONROE, TX 7 PRIETARY AND CONFIDENTIAL : THE INFORM	•		DESCRIPTION :		
IS THE SOLE PROPE	HE SOLE PROPERTY OF WELD PROJECTS. AN	NY REPRODU	Y REPRODUCTION, IN PART OR AS A	Prisma Top Side Plate Dinner		
	WHOLE, WITHOUT WRITTEN PERMISSION O	IT WRITTEN PERMISSION OF WELD PROJECTS IS	ECTS IS PROHIBITED.	DRAWN BY: MMoreno C	01/16/24 SHEET 1 OF 1	
				•		